

WHAT IS CLAIMED IS:

1. A connector for connecting circuit boards with each other, comprising:

5 a first connector section disposed on a first circuit board and having contact terminals electrically connected to electro-conductive layer of said first circuit board, and

a second connector section disposed on a second
10 circuit board provided in relation to said first circuit board and having contact terminals electrically connected to electro-conductive layer of said second circuit board with said contact terminals connected electrically to said contact terminal of
15 said first connector section,

wherein when said first connector section is coupled to said second connector section, metallic engaging portions provided in said first connector section are engaged with metallic portions being engaged having
20 the elasticity provided in said second connector section to hold said first connector section on said second connector section.

2. A connector as claimed in claim 1, wherein
25 said engaging portions in said first connector section and said portion being engaged in said second connector section are nibs and projections of metallic

holding fixture, respectively.

3. A connector as claimed in claim 2, wherein at least one of said metallic holding fixture is formed
5 in a thin sheet-like form separately from a base for supporting said contact terminals in said first or said second connector section.

4. A connector as claimed in claim 2, wherein
10 said metallic holding fixture has legs fixed to said first or said second circuit board.

5. A connector as claimed in claim 1, wherein a recess is formed for allowing said portion being
15 engaged in said second connector section to advance/retract at said base of said second connector section.

6. A connector as claimed in claim 2, wherein a
20 recess is formed for allowing said portion being engaged in said second connector section to advance/retract at said base of said second connector section.

25 7. A connector as claimed in claim 1, wherein said engaging portions of said first connector section are embedded in one piece and fixed in said base of

said first connector section.

8. A connector as claimed in claim 2, wherein
said engaging portions of said first connector section
5 are embedded in one piece and fixed in said base of
said first connector section.